



**Environmental Data Sheet For Chairs**

**Part 1. Corporate Information**

<b>Product:</b>	AtWork Desk Chair Size 2
<b>Manufacturer:</b>	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
<b>Contact Information:</b>	Customer Support 1-888-274-8664 <a href="mailto:customersupport@sitonit.net">customersupport@sitonit.net</a>

**Part 2. Material Content Description**

Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	15%	60% PC	Recycle where possible
Wood Products	31%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	25%	0%	Recycle where possible
Fabrics, Natural / Synthetic	5%	0% - 100% <sup>2</sup>	Recycle where possible
Polypropylene solid plastic	11%	60% PC	Recycle
Miscellaneous	12%	0%	Recycle where possible
<b>Total Post Consumer Recycled Content</b>	<b>15.9% - 21.3%</b>		
<b>Percent Recyclable</b>	<b>88.0%</b>		
<b>Percent PVC Free</b>	<b>97.0%</b>		

PI = Post Industrial or Pre Consumer recycled content PC = Post Consumer recycled content

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

<sup>2</sup> Range based on specific fabric brand and type.

**Comments:**

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
3. Product recycling depends on local programs.

**Part 3. Manufacturing Process Description**

\*Steel components are formed, welded and painted using a thermo-set powder coat.  
 \*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.  
 \*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

**Part 4. Indoor Air Emissions**

Test Methodology: CA 01350 Date of Test: 12/2009

Test Location: Greenguard Certification Laboratory, Atlanta, Georgia

Standard	Compound	Criteria	Acceptable
State of California	Formaldehyde	0.025 ppm	Yes
Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone		Yes
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

**Green Guard Certification No. 90059-25**

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048



**Environmental Data Sheet For Chairs**

**Part 1. Corporate Information**

<b>Product:</b>	AtWork Executive Chair Size 2
<b>Manufacturer:</b>	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
<b>Contact Information:</b>	Customer Support 1-888-274-8664 <a href="mailto:customersupport@sitonit.net">customersupport@sitonit.net</a>

**Part 2. Material Content Description**

Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	13%	60% PC	Recycle where possible
Wood Products	23%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	20%	0%	Recycle where possible
Fabrics, Natural / Synthetic	4%	0% - 100% <sup>2</sup>	Recycle where possible
Polypropylene solid plastic	18%	60% PC	Recycle
Miscellaneous	22%	0%	Recycle where possible
<b>Total Post Consumer Recycled Content</b>	<b>19.0% - 23.05</b>		
<b>Percent Recyclable</b>	<b>78.0%</b>		
<b>Percent PVC Free</b>	<b>98.0%</b>		

PI = Post Industrial or Pre Consumer recycled content PC = Post Consumer recycled content

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

<sup>2</sup>Range based on specific fabric brand and type.

**Comments:**

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
3. Product recycling depends on local programs.

**Part 3. Manufacturing Process Description**

- \*Steel components are formed, welded and painted using a thermo-set powder coat.
- \*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.
- \*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

**Part 4. Indoor Air Emissions**

Test Methodology: CA 01350 Date of Test: 12/2009

Test Location: Greenguard Certification Laboratory, Atlanta, Georgia

Standard	Compound	Criteria	Acceptable
State of California	Formaldehyde	0.025 ppm	Yes
Indoor Air Quality and Collaborative for High Performance Schools (CHPS)	TVOC	0.250 mg/m <sup>3</sup>	Yes
Section 01350	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone		Yes
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

**Green Guard Certification No. 90059-25**

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048



**Environmental Data Sheet For Chairs**

**Part 1. Corporate Information**

<b>Product:</b>	AtWork Executive Chair Size 3
<b>Manufacturer:</b>	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
<b>Contact Information:</b>	Customer Support 1-888-274-8664 <a href="mailto:customersupport@sitonit.net">customersupport@sitonit.net</a>

**Part 2. Material Content Description**

Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	12%	60% PC	Recycle where possible
Wood Products	30%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	26%	0%	Recycle where possible
Fabrics, Natural / Synthetic	5%	0% - 100% <sup>2</sup>	Recycle where possible
Polypropylene solid plastic	9%	60% PC	Recycle
Miscellaneous	19%	0%	Recycle where possible
<b>Total Post Consumer Recycled Content</b>	<b>12.3% - 17.1%</b>		
<b>Percent Recyclable</b>	<b>81.0%</b>		
<b>Percent PVC Free</b>	<b>98.0%</b>		

PI = Post Industrial or Pre Consumer recycled content PC = Post Consumer recycled content

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

<sup>2</sup> Range based on specific fabric brand and type.

**Comments:**

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
3. Product recycling depends on local programs.

**Part 3. Manufacturing Process Description**

\*Steel components are formed, welded and painted using a thermo-set powder coat.  
 \*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.  
 \*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

**Part 4. Indoor Air Emissions**

Test Methodology: CA 01350 Date of Test: 12/2009

Test Location: Greenguard Certification Laboratory, Atlanta, Georgia

Standard	Compound	Criteria	Acceptable
State of California	Formaldehyde	0.025 ppm	Yes
Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone		Yes
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

**Green Guard Certification No. 90059-25**

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048



**Environmental Data Sheet For Chairs**

**Part 1. Corporate Information**

<b>Product:</b>	AtWork Stool
<b>Manufacturer:</b>	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
<b>Contact Information:</b>	Customer Support 1-888-274-8664 <a href="mailto:customersupport@sitonit.net">customersupport@sitonit.net</a>

**Part 2. Material Content Description**

Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	25%	60% PC	Recycle where possible
Wood Products	22%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	14%	0%	Recycle where possible
Fabrics, Natural / Synthetic	4%	0% - 100% <sup>2</sup>	Recycle where possible
Polypropylene solid plastic	23%	60% PC	Recycle
Miscellaneous	11%	0%	Recycle where possible
<b>Total Post Consumer Recycled Content</b>	<b>28.9% - 33.0%</b>		
<b>Percent Recyclable</b>	<b>89.0%</b>		
<b>Percent PVC Free</b>	<b>97.0%</b>		

PI = Post Industrial or Pre Consumer recycled content PC = Post Consumer recycled content

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

<sup>2</sup>Range based on specific fabric brand and type.

**Comments:**

- The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
- The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- Product recycling depends on local programs.

**Part 3. Manufacturing Process Description**

- \*Steel components are formed, welded and painted using a thermo-set powder coat.
- \*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.
- \*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

**Part 4. Indoor Air Emissions**

Test Methodology: CA 01350 Date of Test: 12/2009

Test Location: Greenguard Certification Laboratory, Atlanta, Georgia

Standard	Compound	Criteria	Acceptable
State of California	Formaldehyde	0.025 ppm	Yes
Indoor Air Quality and Collaborative for High Performance Schools (CHPS)	TVOC	0.250 mg/m <sup>3</sup>	Yes
Section 01350	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone		Yes
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

**Green Guard Certification No. 90059-25**

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048



**Environmental Data Sheet For Chairs**

**Part 1. Corporate Information**

<b>Product:</b>	AtWork Task Chair Size 1
<b>Manufacturer:</b>	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
<b>Contact Information:</b>	Customer Support 1-888-274-8664 <a href="mailto:customersupport@sitonit.net">customersupport@sitonit.net</a>

**Part 2. Material Content Description**

Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	16%	60% PC	Recycle where possible
Wood Products	21%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	13%	0%	Recycle where possible
Fabrics, Natural / Synthetic	4%	0% - 100% <sup>2</sup>	Recycle where possible
Polypropylene solid plastic	21%	60% PC	Recycle
Miscellaneous	25%	0%	Recycle where possible
<b>Total Post Consumer Recycled Content</b>	<b>22.2% - 26.0%</b>		
<b>Percent Recyclable</b>	<b>75.0%</b>		
<b>Percent PVC Free</b>	<b>97.0%</b>		

PI = Post Industrial or Pre Consumer recycled content PC = Post Consumer recycled content

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

<sup>2</sup> Range based on specific fabric brand and type.

**Comments:**

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
3. Product recycling depends on local programs.

**Part 3. Manufacturing Process Description**

\*Steel components are formed, welded and painted using a thermo-set powder coat.  
 \*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.  
 \*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

**Part 4. Indoor Air Emissions**

Test Methodology: CA 01350 Date of Test: 12/2009  
 Test Location: Greenguard Certification Laboratory, Atlanta, Georgia

Standard	Compound	Criteria	Acceptable
State of California	Formaldehyde	0.025 ppm	Yes
Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone		Yes
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

**Green Guard Certification No. 90059-25**

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048



**Environmental Data Sheet For Chairs**

**Part 1. Corporate Information**

<b>Product:</b>	AtWork Task Chair Size 2
<b>Manufacturer:</b>	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
<b>Contact Information:</b>	Customer Support 1-888-274-8664 <a href="mailto:customersupport@sitonit.net">customersupport@sitonit.net</a>

**Part 2. Material Content Description**

Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	15%	60% PC	Recycle where possible
Wood Products	21%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	16%	0%	Recycle where possible
Fabrics, Natural / Synthetic	4%	0% - 100% <sup>2</sup>	Recycle where possible
Polypropylene solid plastic	20%	60% PC	Recycle
Miscellaneous	24%	0%	Recycle where possible
<b>Total Post Consumer Recycled Content</b>	<b>20.6% - 25.0%</b>		
<b>Percent Recyclable</b>	<b>76.0%</b>		
<b>Percent PVC Free</b>	<b>97.0%</b>		

PI = Post Industrial or Pre Consumer recycled content PC = Post Consumer recycled content

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

<sup>2</sup>Range based on specific fabric brand and type.

**Comments:**

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
3. Product recycling depends on local programs.

**Part 3. Manufacturing Process Description**

- \*Steel components are formed, welded and painted using a thermo-set powder coat.
- \*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.
- \*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

**Part 4. Indoor Air Emissions**

Test Methodology: CA 01350 Date of Test: 12/2009

Test Location: Greenguard Certification Laboratory, Atlanta, Georgia

Standard	Compound	Criteria	Acceptable
State of California	Formaldehyde	0.025 ppm	Yes
Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m <sup>3</sup>	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone		Yes
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

**Green Guard Certification No. 90059-25**

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048