

Environmental Data Sheet For Chairs			
Part 1. Corporate Information			
Product:	Glove Active Highback Chair		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620		
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net		

Part 2. Material Content Description				
Material	Percent by Weight	Recycled Content ¹	End of Life Management	
Steel: rod, tubing cold/hot rolled flat stock	6%	60% PC	Recycle where possible	
Wood Products	29%	0% From Rapidly Renewable Forests	Recycle where possible	
Polyurethane foam	32%	0%	Recycle where possible	
Fabrics, Natural / Synthetic	4%	0% - 100%²	Recycle where possible	
Polypropylene solid plastic	10%	60% PC	Recycle	
Miscellaneous	18%	0%	Recycle where possible	
Total Post Consumer Recycled Content	9.4% - 13.9%			
Percent Recyclable	82.0%			
Percent PVC Free	100.0%			

¹Values are based on the recycled content of the total chair weight and the specific chair style.

Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

Part 3. Manufacturing Process Description

*Steel components are formed, welded and painted using a thermo-set powder coat.

*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of	Test: 12/2009			
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m ³	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)		163	
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m ³	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m ³	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone		res	
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)				

OSHA - (29 CFR) 1910.1048

² Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs			
Part 1. Corporate Information			
Product:	Glove Active Midback Chair		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620		
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net		

Material	Percent by Weight	Recycled Content ¹	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	6%	60% PC	Recycle where possible
Wood Products	29%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	32%	0%	Recycle where possible
Fabrics, Natural / Synthetic	4%	0% - 100%²	Recycle where possible
Polypropylene solid plastic	10%	60% PC	Recycle
Miscellaneous	19%	0%	Recycle where possible
Total Post Consumer Recycled	9.8% - 13.7%		
Content	9.6 /6 - 13.7 /6		
Percent Recyclable	81.0%	_	
Percent PVC Free	100.0%		

¹Values are based on the recycled content of the total chair weight and the specific chair style.

Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

Part 3. Manufacturing Process Description

*Steel components are formed, welded and painted using a thermo-set powder coat.

*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of 7	Test: 12/2009			
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m ³	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)		163	
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m ³	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m ³	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Voc	
Amendments. (CFC's & HCFCs)	manufactured with ozone	_	Yes	
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)	-	* *		

OSHA - (29 CFR) 1910.1048

² Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs		
Part 1. Corporate Information		
Product:	Glove Executive Highback Chair	
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620	
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net	

Material	Percent by Weight	Recycled Content ¹	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	6%	60% PC	Recycle where possible
Wood Products	33%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	37%	0%	Recycle where possible
Fabrics, Natural / Synthetic	5%	0% - 100%²	Recycle where possible
Polypropylene solid plastic	10%	60% PC	Recycle
Miscellaneous	9%	0%	Recycle where possible
Total Post Consumer Recycled Content	9.6% - 14.2%		
Percent Recyclable	91.0%		
Percent PVC Free	100.0%		

¹Values are based on the recycled content of the total chair weight and the specific chair style.

Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

OSHA - (29 CFR) 1910.1048

Part 3. Manufacturing Process Description

*Steel components are formed, welded and painted using a thermo-set powder coat.

*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of 7	Test: 12/2009		
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia		
Standard	Compound	Criteria	Acceptable
State of California	Formaldehyde	0.025 ppm	Yes
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m ³	Yes
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes
Section 01350	Meets any regulated primary or secondary		Yes
	National Ambient Air Quality Standard (NAAQS)		162
	Formaldehyde	0.025 ppm	Yes
U.S. Environmental Protection Agency	TVOC	0.250 mg/m ³	Yes
(EPA)	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes
Amendments. (CFC's & HCFCs)	manufactured with ozone		res
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes
Administration (OSHA)	•		

² Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs Part 1. Corporate Information		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620	
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net	

Material	Percent by Weight	Recycled Content ¹	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	7%	60% PC	Recycle where possible
Wood Products	32%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	37%	0%	Recycle where possible
Fabrics, Natural / Synthetic	4%	0% - 100%²	Recycle where possible
Polypropylene solid plastic	11%	60% PC	Recycle
Miscellaneous	10%	0%	Recycle where possible
Total Post Consumer Recycled Content	10.4% - 14.5%		
Percent Recyclable	90.0%		
Percent PVC Free	100.0%		

¹Values are based on the recycled content of the total chair weight and the specific chair style.

Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

OSHA - (29 CFR) 1910.1048

Part 3. Manufacturing Process Description

*Steel components are formed, welded and painted using a thermo-set powder coat.

*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of	Test: 12/2009			
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m ³	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)		163	
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m ³	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m ³	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone		162	
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)				

² Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs			
Part 1. Corporate Information			
Product:	Glove Guest Chair		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620		
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net		

Material	Percent by Weight	Recycled Content ¹	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	29%	60% PC	Recycle where possible
Wood Products	30%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	35%	0%	Recycle where possible
Fabrics, Natural / Synthetic	4%	0% - 100%²	Recycle where possible
Polypropylene solid plastic	0%	60% PC	Recycle
Miscellaneous	2%	0%	Recycle where possible
Total Post Consumer Recycled	17.3% - 21.3%		
Content	17.570 - 21.570		
Percent Recyclable	98.0%	_	
Percent PVC Free	100.0%		

¹Values are based on the recycled content of the total chair weight and the specific chair style.

Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

Part 3. Manufacturing Process Description

*Steel components are formed, welded and painted using a thermo-set powder coat.

*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of	Test: 12/2009		,	
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m ³	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)		165	
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m ³	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m ³	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone			
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)				

OSHA - (29 CFR) 1910.1048

² Range based on specific fabric brand and type.