



Environmental Data Sheet For Chairs

Part 1. Corporate Information

| | |
|-----------------------------|--|
| Product: | AtWork Task Chair Size 1 |
| Manufacturer: | SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620 |
| Contact Information: | Customer Support 1-888-274-8664 customersupport@sitonit.net |

Part 2. Material Content Description

| Material | Percent by Weight | Recycled Content ¹ | End of Life Management |
|--|----------------------|--------------------------------------|------------------------|
| Steel: rod, tubing cold/hot rolled flat stock | 16% | 60% PC | Recycle where possible |
| Wood Products | 21% | 0% From Rapidly Renewable Forests | Recycle where possible |
| Polyurethane foam | 13% | 0% | Recycle where possible |
| Fabrics, Natural / Synthetic | 4% | 0% - 100% ² | Recycle where possible |
| Polypropylene solid plastic | 21% | 60% PC | Recycle |
| Miscellaneous | 25% | 0% | Recycle where possible |
| Total Post Consumer Recycled Content | 22.2% - 26.0% | | |

PI = Post Industrial or Pre Consumer recycled content PC = Post Consumer recycled content

¹Values are based on the recycled content of the total chair weight and the specific chair style.

² Range based on specific fabric brand and type.

Comments:
 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
 3. Product recycling depends on local programs.

Part 3. Manufacturing Process Description

*Steel components are formed, welded and painted using a thermo-set powder coat.
 *The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.
 *A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Part 4. Indoor Air Emissions

Test Methodology: CA 01350 Date of Test: 12/2009

Test Location: Greenguard Certification Laboratory, Atlanta, Georgia

| Standard | Compound | Criteria | Acceptable |
|---|---|--------------------------|------------|
| State of California | Formaldehyde | 0.025 ppm | Yes |
| Indoor Air Quality and Collaborative for High Performance Schools (CHPS) | TVOC | 0.250 mg/m ³ | Yes |
| Section 01350 | Meets 1/10th TLV for emitting VOC's | | Yes |
| | Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS) | | Yes |
| U.S. Environmental Protection Agency (EPA) | Formaldehyde | 0.025 ppm | Yes |
| | TVOC | 0.250 mg/m ³ | Yes |
| | Total Aldehydes | 0.05 ppm | Yes |
| | 4-phenylcyclohexene | 0.0065 mg/m ³ | Yes |
| Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs) | This product does not contain and is not manufactured with ozone | | Yes |
| U.S. Occupational Safety & Health Administration (OSHA) | Formaldehyde | 0.10 ppm | Yes |

Green Guard Certification No. 90059-25

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048