

Environmental Data Sheet For Chairs			
Part 1. Corporate Information			
Product:	TR2 Conference Highback Chair		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620		
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net		

Part 2. Material Content Description				
Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management	
Steel: rod, tubing cold/hot rolled flat stock	7%	60% PC	Recycle where possible	
Wood Products	28%	0% From Rapidly Renewable Forests	Recycle where possible	
Polyurethane foam	22%	0%	Recycle where possible	
Fabrics, Natural / Synthetic	7%	0% - 100%²	Recycle where possible	
Polypropylene solid plastic	24%	60% PC	Recycle	
Miscellaneous	12%	0%	Recycle where possible	
Total Post Consumer Recycled Content	18.2% - 25.0%			
Percent Recyclable	88.0%			
Percent PVC Free	100.0%			
,	100.0%			

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

### Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

## Part 3. Manufacturing Process Description

\*Steel components are formed, welded and painted using a thermo-set powder coat.

\*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

\*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of 7	Test: 12/2009			
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m <sup>3</sup>	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)			
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m <sup>3</sup>	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone	_	res	
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)				

OSHA - (29 CFR) 1910.1048

<sup>&</sup>lt;sup>2</sup> Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs			
Part 1. Corporate Information			
Product:	TR2 Conference Midback Chair		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620		
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net		

Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	8%	60% PC	Recycle where possible
Wood Products	27%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	19%	0%	Recycle where possible
Fabrics, Natural / Synthetic	6%	0% - 100%²	Recycle where possible
Polypropylene solid plastic	27%	60% PC	Recycle
Miscellaneous	14%	0%	Recycle where possible
Total Post Consumer Recycled	20.0% - 26.5%		
Content	20.0 % - 20.3 %		
Percent Recyclable	86.0%		
Percent PVC Free	100.0%		

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

### Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

OSHA - (29 CFR) 1910.1048

# Part 3. Manufacturing Process Description

\*Steel components are formed, welded and painted using a thermo-set powder coat.

\*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

\*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of	Test: 12/2009			
Test Location: Greenguard Certification Laboratory	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m <sup>3</sup>	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)			
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m <sup>3</sup>	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone		165	
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)				

<sup>&</sup>lt;sup>2</sup> Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs			
Part 1. Corporate Information			
Product:	TR2 Executive Chair		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620		
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net		

Part 2. Material Content Description				
Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management		
15%	60% PC	Recycle where possible		
17%	0% From Rapidly Renewable Forests	Recycle where possible		
17%	0%	Recycle where possible		
7%	0% - 100%²	Recycle where possible		
20%	60% PC	Recycle		
24%	0%	Recycle where possible		
21.0% - 28.1%				
76.0%				
97.0%				
	15% 17% 17% 20% 24% 21.0% - 28.1%	Percent by Weight   Recycled Content¹		

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

### Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

OSHA - (29 CFR) 1910.1048

# Part 3. Manufacturing Process Description

\*Steel components are formed, welded and painted using a thermo-set powder coat.

\*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

\*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of	Test: 12/2009			
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m <sup>3</sup>	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)			
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m <sup>3</sup>	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone		res	
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)				

<sup>&</sup>lt;sup>2</sup> Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs			
Part 1. Corporate Information			
Product:	TR2 Guest Chair		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620		
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net		

Part 2. Material Content Description				
Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management	
Steel: rod, tubing cold/hot rolled flat stock	45%	60% PC	Recycle where possible	
Wood Products	19%	0% From Rapidly Renewable Forests	Recycle where possible	
Polyurethane foam	19%	0%	Recycle where possible	
Fabrics, Natural / Synthetic	5%	0% - 100%²	Recycle where possible	
Polypropylene solid plastic	12%	60% PC	Recycle	
Miscellaneous	0%	0%	Recycle where possible	
Total Post Consumer Recycled Content	34.2% - 38.8%			
Percent Recyclable	100.0%			
Percent PVC Free	100.0%			

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

### Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

## Part 3. Manufacturing Process Description

\*Steel components are formed, welded and painted using a thermo-set powder coat.

\*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

\*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of	Test: 12/2009	,		
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m <sup>3</sup>	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)			
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m <sup>3</sup>	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone		162	
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)				

OSHA - (29 CFR) 1910.1048

<sup>&</sup>lt;sup>2</sup> Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs Part 1. Corporate Information		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620	
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net	

Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management
Steel: rod, tubing cold/hot rolled flat stock	17%	60% PC	Recycle where possible
Wood Products	18%	0%	Recycle where possible
		From Rapidly Renewable Forests	
Polyurethane foam	18%	0%	Recycle where possible
Fabrics, Natural / Synthetic	6%	0% - 100%²	Recycle where possible
Polypropylene solid plastic	23%	60% PC	Recycle
Miscellaneous	18%	0%	Recycle where possible
Total Post Consumer Recycled Content	24.5% - 30.8%		
Percent Recyclable	82.0%		
Percent PVC Free	97.0%		

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

### Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

# Part 3. Manufacturing Process Description

\*Steel components are formed, welded and painted using a thermo-set powder coat.

\*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

\*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of 7	Test: 12/2009		,	
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m <sup>3</sup>	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)			
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m <sup>3</sup>	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not	_	Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone			
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)				

OSHA - (29 CFR) 1910.1048

<sup>&</sup>lt;sup>2</sup> Range based on specific fabric brand and type.



Environmental Data Sheet For Chairs Part 1. Corporate Information		
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620	
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net	

Part 2. Material Content Description				
Material	Percent by Weight	Recycled Content <sup>1</sup>	End of Life Management	
Steel: rod, tubing cold/hot rolled flat stock	16%	60% PC	Recycle where possible	
Wood Products	16%	0% From Rapidly Renewable Forests	Recycle where possible	
Polyurethane foam	16%	0%	Recycle where possible	
Fabrics, Natural / Synthetic	6%	0% - 100%²	Recycle where possible	
Polypropylene solid plastic	21%	60% PC	Recycle	
Miscellaneous	25%	0%	Recycle where possible	
Total Post Consumer Recycled Content	22.2% - 27.8%			
Percent Recyclable	75.0%			
Percent PVC Free	97.0%			
(=- =			•	

<sup>1</sup>Values are based on the recycled content of the total chair weight and the specific chair style.

### Comments:

- 1. The Exemplis Company complies with the Federal Trade Commission's Part 260 Guide for the Use of Environmental Marketing Claims.
- 2. The Exemplis Company encourages bulk packaging and wraps products where appropriate.
- 3. Product recycling depends on local programs.

OSHA - (29 CFR) 1910.1048

# Part 3. Manufacturing Process Description

\*Steel components are formed, welded and painted using a thermo-set powder coat.

\*The components are assembled using mechanical fasteners. The back and seat use a water based adhesive to bond the foam to the wood and upholstery.

\*A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Test Methodology: CA 01350 Date of 7	Test: 12/2009			
Test Location: Greenguard Certification Laboratory,	Atlanta, Georgia			
Standard	Compound	Criteria	Acceptable	
State of California	Formaldehyde	0.025 ppm	Yes	
Indoor Air Quality and Collaborative	TVOC	0.250 mg/m <sup>3</sup>	Yes	
for High Performance Schools (CHPS)	Meets 1/10th TLV for emitting VOC's		Yes	
Section 01350	Meets any regulated primary or secondary		Yes	
	National Ambient Air Quality Standard (NAAQS)			
	Formaldehyde	0.025 ppm	Yes	
U.S. Environmental Protection Agency	TVOC	0.250 mg/m <sup>3</sup>	Yes	
(EPA)	Total Aldehydes	0.05 ppm	Yes	
	4-phenylcyclohexene	0.0065 mg/m <sup>3</sup>	Yes	
Title VI of the 1990 Clean Air Act	This product does not contain and is not		Yes	
Amendments. (CFC's & HCFCs)	manufactured with ozone		res	
U.S. Occupational Safety & Health	Formaldehyde	0.10 ppm	Yes	
Administration (OSHA)	1			

<sup>&</sup>lt;sup>2</sup> Range based on specific fabric brand and type.